



STATE OF SOUTH CAROLINA )
COUNTY OF )

PERMIT NO. \_\_\_\_\_

APPLICATION FOR LAKE MURRAY PERMIT
SCE&G / Lake Management (P05)
6248 Bush River Road
Columbia, SC 29212
803-217-9221

1. Name & Mailing Address of Applicant: \_\_\_\_\_

Lake Address: \_\_\_\_\_

Existing Dock: Yes \_\_\_ No \_\_\_ Existing Dock #: \_\_\_\_\_ Telephone #: Home \_\_\_\_\_ Business \_\_\_\_\_

2. Check Proposed Activity for Which Approval is Requested: Dock (\_\_\_) Dock Modification (\_\_\_) Boat Lift (\_\_\_) Rip-rap (\_\_\_)
Concrete Boat Ramp (\_\_\_) Water Removal (\_\_\_) Limited Brushing (\_\_\_) Retainer Wall (\_\_\_) Marine Railways (\_\_\_)

3. Number of Nearest Dock on Either Side to Applicant \_\_\_\_\_

4. Specific Directions (by land) to Proposed Activity Site: (Lake Property)

5. Draw Map (sketch) of how to get to your lake property: (Use separate sheet paper.)

6. Approximate Date to Commence \_\_\_\_\_ Approximate Date to Complete \_\_\_\_\_

7. Application is hereby made for a permit or permits to authorize the activities described herein. I certify that I possess the authority to undertake the proposed activities. I further certify that the undersigned shall indemnify and save harmless SCE&G from all liability however arising to any and all persons whomsoever, whether for personal injuries or otherwise, by reason of the construction and/or maintenance, or unsafeness or condition of any construction upon lands and interests of SCE&G, and from any damage or injury resulting to any persons whomsoever from defects in or defective conditions of said construction. Applicant accepts that any permit issued pursuant to this application shall constitute permission and obligation to conduct permitted activities only so long as the results are compatible with the environmental values, including aesthetics, in and about Lake Murray. I ALSO CERTIFY THAT I HAVE NOTIFIED ADJOINING PROPERTY OWNERS CONCERNING PROPOSED ACTIVITY APPLIED FOR ABOVE.

PARTIES

SOUTH CAROLINA ELECTRIC & GAS COMPANY ("Company"), a South Carolina Public Service Corporation, ("Permitee"), owner of a tract of land near the waters of Project 516 (Lake Murray).

AGREEMENT

The parties hereto agree to the incorporation of and to abide by the terms and conditions contained in the Permit Conditions on the reverse side hereof.

For and in consideration of the sum of One Dollar (\$1.00) and other consideration to it paid, and the mutual promises contained herein, and such other consideration as may be agreed upon by the parties, subject to herein stated terms and conditions, the Company grants a Permit unto the permittee to encroach upon the Company's interests as described herein. The Permit shall be valid for a period of one (1) years from the date of issuance and shall be renewable by the Company, subject to reinspection.

This instrument constitutes the entire Agreement between the parties hereto.

This Permit shall become effective on the \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_.

Permittee hereby accepts and agrees to comply with the terms and conditions of this permit.

SOUTH

CAROLINA ELECTRIC & GAS COMPANY

Applicant's Signature (Permittee) B Vice

y \_\_\_\_\_ President

ATTEST:

Date B

y \_\_\_\_\_ Secretary



**Shoreline Management and Vegetation Protection Agreement  
SPECIAL NOTICE TO LAKE MURRAY SHORELINE PROPERTY OWNERS**

**Saluda Hydroelectric Project** is a power generating facility under the regulating jurisdiction of the Federal Energy Regulatory Commission (hereinafter "FERC") and is designed to utilize the waters of Lake Murray to generate electricity. Water levels on the Lake will fluctuate seasonally dependent upon generation and rainfall. Be advised as a property owner on Lake Murray ("Landowner") that South Carolina Electric and Gas Company ("SCE&G"), who is the FERC Project 516 licensee, does not guarantee year-round water access to any dock or other facility on the Lake.

**Permitting Policy** - Permits to construct, repair, modify or replace boat docks, ramps, marine railways or lifts must be obtained from SCE&G's Lake Management Department (phone number 803-217-9221) **prior to the beginning of construction.**

**Shoreline Vegetation below the High Water Mark** - Trees, bushes and other vegetation growing below the 360 foot contour line (the normal high pool elevation of Lake Murray) play an important role in the overall environmental condition of the Lake. This shoreline vegetation (button bushes, willow trees, hardwood trees, etc.) is necessary to ensure and maintain a sound, healthy lake environment. SCE&G's Land Use and Shoreline Management Plan, as approved by the FERC, permits limited removal of vegetation for the construction and installation of docks and other facilities below the 360 contour. Be advised that **unauthorized removal of shoreline vegetation may result in the cancellation of dock and other permits issued by SCE&G, and revegetation of the shoreline will be required**. **The Landowner must contact SCE&G's Lake Management Department prior to removal of shoreline vegetation below the 360 contour.**

**75 Foot Setback Area/Vegetative Buffer Zone (may or may not be applicable)** - Landowner understands that there may be a 75 foot setback area from the 360 foot contour line inland on certain Lake Murray properties. The boundary line indicating this setback area, or vegetative buffer zone, is shown on SCE&G's plats and should be made clear on Landowner's plat if this condition applies to his/her lot. Landowner understands that there are special use restrictions within the 75 foot setback area. **There shall be no clearing of trees or shrubs, or significant alteration of the contour of the land, or posting of the property, and no permanent structure of any kind may be built except as may be permitted under the SCE&G Shoreline Management Program** within the 75 foot setback area without **written consent** from the Lake Management Department. The use of SCE&G's property is entirely permissive and at the discretion of SCE&G as landowner, and Landowner must adhere to the terms established herein and in the Shoreline Management Plan in order to ensure continued use of the property.

By signing this document, landowner acknowledges that he/she has been made aware of the Lake Murray Shoreline Management Program and how it affects his/her use of the Lake resource. Landowner further agrees to ensure that any person leasing or otherwise using his/her property is aware of and will obey the land use guidelines set out herein. **Landowner agrees not to violate the rules and restrictions contained in this agreement and understands that the failure to follow them may result in the revocation of all permits for shoreline accessories and may include, where applicable, termination of permission for access to Lake Murray across SCE&G property.**




\_\_\_\_\_  
Landowner(s)

\_\_\_\_\_  
SCE&G Lake Management Representative

\_\_\_\_\_  
Date

\_\_\_\_\_  
Date

# Dock Design



Dimensions for Concrete Ramp: \_\_\_\_\_

Name of Contractor: \_\_\_\_\_ Name of Adjoining: \_\_\_\_\_

Telephone Number: \_\_\_\_\_ Property Owners: \_\_\_\_\_

This space for comments, changes, or approval by SCE&G Lake Management Department  
 Dock must be located a minimum of 15' from adjacent property line.  
 Applicant must provide a copy of plat with dock location designated.  
 All linear measurements of dock must be from the 360' contour.  
 All covered portions of a dock must be located within 15 ft. of the 360' contour.

---



---



---



---

---

---

# NOTICE

## TO ALL LAKE MURRAY DOCK OWNERS

**Effective January 1, 2007, all floating docks on Lake Murray will be required to have ENCAPSULATED FLOTATION.**

**Exposed foam bead flotation billets will no longer be allowed. Foam bead flotation deteriorates, causing shoreline litter. It is subject to destruction by animals and becomes waterlogged.**

**If there are any questions, please contact South Carolina Electric & Gas Company's Lake Management Department at:**

**803-217-9221**





## NOTICE

Trees, bushes and vegetation growing below the 360 foot contour on the shoreline of Lake Murray play an important role in the overall environmental condition of the Lake. The ecological impact the vegetation has on the fish and wildlife habitat is necessary to ensure a sound, healthy Lake environment.

South Carolina Electric & Gas Company's Shoreline Management Plan permits limited removal of the shoreline vegetation for the construction and installation of docks. Please be advised that unauthorized removal of shoreline vegetation (button bushes, willow trees, hardwood, etc.) will result in the cancellation of the dock permit and revegetation of the shoreline will be required.

Property owners must contact SCE&G's Lake Management Department prior to any removal of shoreline vegetation below the 360 contour.



## PERMIT CONDITIONS

### 1.0 PARTIES

1.1 SOUTH CAROLINA ELECTRIC & GAS COMPANY ("Company"), a South Carolina utility corporation, licensed by the Federal Energy Regulatory Commission ("FERC") to own and operate a hydro -electric generating project known in the files of the FERC as "Project 516" and commonly known as "Lake Murray".

1.2 "PERMITTEE", owner of a tract of land near the waters of Project 516 as described in the "Permit" of which these recitals constitute an integral part through incorporation by reference.

### 2.0 RECITALS

2.1 The Company owns or has flooding and/or clearing rights over all lands in Project 516 below a contour 360 feet above sea level ("360 Contour"). The Company also owns or controls some lands lying between the 360 contour and the Project Boundary Line ("PBL"), which lies above the 360 contour. The lands of the Company and interest in the lands are subject to the Federal Water Power Act, as amended from time to time, and the rules and regulations of the FERC, as amended from time to time, the terms of the Company's license from the FERC and are also subject to other governmental agencies having jurisdiction over the premises.

2.2 Permittee desires to place a structure upon the lands and interests below the 360 foot contour.

2.3 The Company agrees to grant its permission to do so subject to the terms and conditions stated herein.

### 3.0 TERMS AND CONDITIONS

3.1 The Permit, of which these Permit Conditions constitute a part, shall be subject to the orders, rules and regulation as may be imposed by the FERC or other governmental agencies, or as in the Company's judgement may from time to time be reasonably necessary to implement such orders, rules and regulations.

3.2 The Permittee agrees to prosecute the work authorized herein in a manner so as to minimize any degradation of water quality.

3.3 The Company shall have the right of reasonable ingress and egress across and through the Permittee's land where reasonably necessary for inspection of the encroachments. The Company shall have the right to attach an identifying marker to the encroachment and the Permittee agrees to exercise reasonable care to avoid dislodging or defacing said marker. The use of said premises by Permittee shall not endanger health, create a nuisance, or otherwise be incompatible with overall Project recreational uses.

3.4 Permittee shall keep his encroachments in good repair and shall use the same so as not to interfere with or create a nuisance to the use of Lake Murray by all other landowners or the public.

3.5 With the exception of the encroachments described in the Permit, Permittee shall not construct or maintain any other encroachments including excavation or fillings on the premises described herein without the written consent of the Company.

3.6 Provided, however, that it is one of the conditions hereof, such condition being the essence of the Permit and privilege granted therein, that the Company may revoke or modify the Permit privilege at will by mailing notice of such revocation or modifications at the last known address of the Permittee at least sixty (6) days prior to the date on which the Company wishes such revocation to be effective.

3.7 It is specifically understood and agreed that the Company shall have no obligation whatsoever to remove or to repair or to correct the encroachments described in the Permit.

3.8 The Permittee hereby expressly releases the Company from any and liability for damage or damages to the above described property or to the personal or real property of the Permittee or his family or his agents, servants, or invitees by reason of the erection, construction, operation and maintenance by the Company of a dam or dams and/or reservoir of water of any height or size and necessary spillways and/or adjuncts on the Saluda River at or near Dreher Shoals or by the doing of having done of any other act of thing in connection with the referred property in the usual and customary use and control for Company's corporate or project purposes.

3.9 The Permittee shall indemnify and save harmless the Company from all liability however arising to any and all persons whatsoever, whether for personal injuries or otherwise, by reason of the construction and /or maintenance, or unsafe of condition of any encroachments permitted hereby, and from any damage or injury resulting to any persons whomsoever from defects in or defective condition of said encroachments.

3.10 It is understood and agreed that all permission herein granted is granted only insofar as the Company has the rights to do so, and does not purport to grant any rights that might impair the rights of any other owner, lessor, or any other person or governmental entity which may have right in this or other lands.

3.11 The Terms of these Permit Conditions shall inure to the benefit of and shall be binding upon the parties, their respective heirs, assigns or successors; provided that this Permit may not be transferred to a third party without prior written permission of the Company.

3.12 If and when the Permittee desires to abandon the activity authorized herein, unless such abandonment is part of a transfer procedure by which the Permittee is transferring his interests herein to a third party, he must restore the area to a condition satisfactory to the Company.

3.13 These Permit Conditions are intended to and do constitute an integral and necessary part of the entire Permit Agreement between the parties and shall be so included by reference upon the execution by the parties of the Permit.



Re: Lake Management Construction Application

Dear Property Owner:

Enclosed is an application for your proposed activity at Lake Murray. This application can be used for the private residential activities listed below. Please complete the application form and the attached sketch sheet. If you are going to construct a dock or ramp, your measurements must be accurate.

It is important that you send us precise directions, along with a sketch map, a plat of your property with the location of the construction shown on it, and some form of landmark that lets us identify your property. The application must be completed, signed by the property owner and returned to the Lake Management Department with the appropriate fee. The Shoreline Management and Vegetative Protection Agreement must be signed, dated and returned with your application before your application can be processed.

An onsite inspection will be made to determine that your request is in compliance with Lake Management guidelines as shown in the enclosed brochure. Concluding the onsite inspection, you will receive in writing an approved or disapproved stamped copy of your application or dimension form. Along with the approved form for a dock application, you will be issued a construction permit that must be displayed at the work location. Failure to display the permit will make it invalid.

Upon receipt of written approval, you may start construction of the approved activity. If the proposed activity is not approved, a Lake Management representative will contact you by phone to discuss the application.

Another inspection will be made to review your construction work. Docks constructed according to application will be tagged with a metal decal. (DECAL MUST REMAIN VISIBLE AT ALL TIMES.) Due to the time lag in SCE&G making the final inspection, the construction permit must remain at the site and will be removed by SCE&G personnel.

If you have any questions, please contact the Lake Management Department at 803-217-9015.

**PERMITTING FEE SCHEDULE**

Dock	\$75.00	Dock Modification	\$50.00
Boat Ramp (Concrete)	\$75.00	Limited Brushing	\$50.00
Marine Railways	\$75.00	Rip-rap	\$50.00
Boat Lift	\$75.00	Retainer Wall	\$100.00
Water Removal (for irrigation only)	\$50.00		

Rev. 3/18/98